

Metal Awnings



Aluminum Awnings



Aluma Vent, Valance End
22" projection 65" width



Aluma Vue
25" projection 48" width



Aluma Vent, Regular End
50" projection 8' width

Added beauty to your home

Providing a larger, more luxurious look, the Aluma Vent awning makes your home look great! One look tells the store - Quality is obvious.

Outstanding Protection

Americana awnings let in light, yet shut out heat and keep homes cooler by providing cool shade for those hot sunny windows.

Environmentally friendly with energy savings

Awnings rate high as shading devices, since they block direct sunlight before it enters the windows. They are attached above the window and extend outward and down. A properly installed awning can reduce heat gain in you home up to 65 percent on southern windows and as much as 77 percent on eastern and western windows.

Longer Life

Our awnings never rust or decay, they are made entirely of aluminum. And you never need worry about the paint. (Available in a variety of beautiful colors) it's baked on enamel. Over the years, these awnings retain their original attractiveness and are appreciably less expensive than shorter life "economy" types. Look around your town, Americana awnings are built to last.

Size

Drop (Depth)- how far down the window an awning should come: This depends on where the window is located. On the east or west side of the house, the awning needs a drop that covers 65%-75% of the window. Because of the higher angle of the sun, an awning on the south side needs to cover only 45%-60% of the window to produce the same amount of shade.

Projection - Recommend 1/2 the height of the window, just make sure the awning does not project into the path of foot traffic unless it is at least 6' 8" from the ground.

Care of aluminum awnings

Very little care is needed on aluminum awnings. Regular cleaning with a garden hose is all that's needed.

All styles are white underneath to reflect light into your home. Choose whichever best fits your taste or the requirements of your particular installation. Each style will be a durable, attractive awning and is available in custom-made sizes to fit every window in your home.

Assembly Required - Tools Needed

Drill with 1/4" socket, phillips screw driver, pliers or 5/16" socket plus the correct screws/anchors needed to attach awning to your home's exterior finish. One per 10" of awning width. 3/16" diameter



Aluma Vent

Our Best Selling Awning

Aluma Vent

- All aluminum construction for a lasting finish
- Clip on covers eliminate noise from rattling parts
- Door clearance column shows space needed above door
- Two styles to choose from

Regular End Style



Valance End Style



Style: Regular 36" projection 9' width

Projection	Drop
15"	14-1/2"
	18-1/2"
	23-1/2"
22"	16"
	20-1/2"
	22"
	25"
	28"
29"	31"
	18-1/2"
	22-1/2"
	24-1/2"
	28-1/2"
36"	30-1/2"
	36-1/2"
	16"
	21"
	26"
43"	31"
	36"
	11-1/2"
	14-1/2"
	17-1/2"
50"	23-1/2"
	12"
	15-1/2"
	19"
	22-1/2"



Style: Regular 43" projection 55" width



Aluma Vent


Window, Door, Patio Awning




Style: Regular 64" projection 17' width

Projection	Drop
57"	12-1/2"
	20-1/2"
	28-1/2"
64"	13"
	17-1/2"
	26-1/2"
71"	13-1/2"
	18-1/2"
	28-1/2"
78"	14"
	19-1/2"
	30-1/2"
85"	14-1/2"
	20-1/2"
	26-1/2"
92"	15"
	21-1/2"
	34-1/2"
99"	15-1/2"
	22-1/2"
	31-1/2"
106"	16"
	23-1/2"
	31"
113"	16-1/2"
	24-1/2"
	32-1/2"
120"	17"
	25-1/2"
	34"

Glossy Finish




Matte Finish



Extruded aluminum decor columns - on projections 57" to 120"

- Heavy walled extrusion provides load bearing strength.
- Resistant to weed eaters and dings.
- Aluminum will not rust.

White, Ivory, Black, Clay



TO ORDER

- 1) Choose regular or valance style.
- 2) Choose projection and drop from chart at left.
- 3) Width, specify to the inch.
5" dimensions are best due to panel size.
Small end panels are created in widths ending in 1" or 6".
We recommend ordering a larger width.
Regular end style needs 3-1/2" on each side for flared louvers.
- 4) Additional supports?
15" to 50" projection and width > 96", add 2 wall braces, plus add one every additional 8' of width.
57" proj or more, width less than 96", 2 posts needed.
Width > 96", order posts and wall braces for every 8' of width
- 5) Choose colors
Body of awning
Stripes
Underneath is always white.



Aluma Vue or Aluma Line

Two Styles

- All aluminum for a lasting finish
- Aluma Vue - panels are open to allow you to see out
- Aluma Line - panels are closed for privacy
- Built tough to withstand the elements
- Clip on covers to eliminate noise from rattling parts
- Slope or pitch of awning can be adjusted



Aluma Vue - Open panel design



Aluma Line - Closed panel design

Colors



TO ORDER

- 1) Projection - Approximately 1/2 of window height
- 2) Width - Add 6" to 24" to the window width
- 3) Choose colors
 - Body of awning
 - Bottom color stripe

Awnings are all white. Add 10% for solid color, other than white
Underneath is always white. Bottom color stripe, additional cost.

Height	21-1/4"	26-1/4"	30"	34"	36"	37-3/4"	39-3/4"	41-3/4"	43-3/4"
Projection	21"	25"	28-3/4"	32-3/4"	34-1/2"	36-1/2"	38-1/2"	40-1/2"	42-1/2"

